

Cap Camarat

5.5  
WA

SERIE 2

Cap Camarat 5.5 wa <sup>SERIE 2</sup> - 04/2023



## S U M M A R Y

- > SPECIFICATIONS
- > KEY POINTS
- > EXTERIOR
- > ATMOSPHERE
- > ELECTRONIC PACKAGES
- > TECHNICAL DATA



JEANNEAU



## MAIN SPECIFICATIONS

Overall length.....5,48 m / 17'11"  
 Hull length.....5,21 m / 17'1"  
 Overall beam.....2,36 m / 7'8"  
 Hull draft.....0,45 m / 1'5"  
 Air draft .....1,50 m / 4'11"  
 Weight without engine (approx.).....800 kg / 1764 lbs  
 Fuel capacity .....100 L / 26 US GAL

Maximum power.....120 HP / 88 Kw  
 Berths.....2  
 CE Category .....C-6  
 Designers.....Sarrazin Design / Jeanneau  
 Design

## FISHING AND RELAXING

---

The new Cap Camarat 5.5 WA features contemporary fluid lines inspired by the Cap Camarat 6.5 WA Serie3.

With her tapered V-shaped Jeanneau hull, she demonstrates excellent handling and sea keeping for family use and quick planing for water skiing. With an engine power of 100 or 115 HP and an ergonomic design at the helm, this boat is capable of reaching high speeds while remaining comfortable and fuel efficient.

With her sliding central seating, the aft cockpit is spacious and inviting, even while the engine is up. Simply turn the bolster seats around when guests gather around the table.

The bright and airy cabin can feature a chemical WC, a double berth and storage compartments.

The forward deck, level and recessed, is ideal for fishing or for relaxing on the sundeck.





JEAN-BAU  
*Cap Camarat*

YAMAHA

**LAYOUT**

**Security**

- Deep cockpit (68,3 cm)
- Level & recessed (15 cm) forward deck
- 2 side stainless steel handrails
- 2 aft stainless steel handrails

**Aft Cockpit**


- Cockpit table
- Cockpit saloon with the two seats turned back

**Large main sideway**

- Safety (28,8 cm)

**Comfort**

- Large sundeck (Length: 1,63 m)
- "Bolster" pilot & co-pilot seats
- Translucent sliding door



**Secondary sideway**

- Very convenient for the mooring
- Very convenient when anchored

**Large anchor locker**

## COCKPIT



### Ergonomic driving position

- The integrated throttle gives the driver perfect control
- 2 glass holders
- Storage
- Sliding translucent door



### Aft cockpit sliding bench

- More space
- Central sliding bench : possibility to seat when engine is lift up
- 2 removable seats in corner : open storages and support points for the fishing



## CABIN



- Cushions for 2 single berths
- Double berth complement
- Location for the chemical toilets
- Storage
- Opening porthole  
(permanent ventilation)

*NB : old upholstery color*

CAP CAMARAT CC-WA


EXTÉRIEUR / EXTERIOR

SELLERIE /  
UPHOLSTERY



DIAMANTE  
MOONLIGHT /  
DIAMANTE  
METEOR

CAPOTAGES\* /  
AWNINGS



SUNBRELLA  
SILVER

SUNBRELLA  
GRAPHITE

PROTECTIONS /  
COVERS



PVC  
STAMOID  
WHITE

\* Sauf capotages de T-top 10.5 / 12.5 WA = Sunbrella dark smoke / Except T-Top canvas on 10.5 / 12.5 WA = Sunbrella dark smoke

\* Sauf toiles d'ombrage = Sunworker Charcoal / Except sun shades = Sunworker Charcoal



**ATMOSPHERE & MATERIAL / AMBIANCES & MATIERES**

**CAP CAMARAT WA / DC / 9.0 CC**

**INTÉRIEUR / INTERIOR**

**SELLERIE /  
UPHOLSTERY**



**JUMBO 08 PURE**

**MENUISERIES (Standard) /  
WOOD**

**MEUBLES /  
FURNITURES**

**WALNUT**

**FLOORBOARD /  
PLANCHERS**

**BROWN OAK**



## ELECTRONIC PACK

**ECHOMAP UHD 72cv**  
Chartplotter/Sonar combo with 7"  
keyed-assist touchscreen display.



**Garmin GT23M-TM**  
Mid-Band CHIRP Traditional /  
CHIRP ClearVü  
Depth and Temperature

**HEIGHT OF OUTBOARD ENGINE SHAFTS / LONGUEURS ARBRES MOTEURS**

Modèle	Motorisation	Pied d'embase / Shaft length	Longueur en mm / Length in mm	Longueur en pouces / Length in inches	YAMAHA	MERCURY	HONDA	SUZUKI
<b>CAP CAMARAT 5.5 CC / WA</b>	<b>mono / single</b>	<b>LONG</b>	<b>508</b>	<b>20"</b>	<b>TL</b>	<b>L</b>	<b>L</b>	<b>L</b>

**RPM - SPEED - CONSUMPTION / RÉGIMES - VITESSES - CONSOMMATION**

**Gammes CAP CAMARAT / CAP CAMARAT ranges 2022/2023**  
**Essai dans les conditions optimum (carène propre, sans antifouling)**  
***Trials in the optimum conditions (clean hull - no antifouling)***

Bateaux/boats	Moteur/Engine	Hélice / Propeller(s)	Charge Loading (kg)	Régime maxi (tr/min) Max Rpm	Vitesse maxi (Nœuds) Max speed (Knots)	Conso (L/h) Consumption (L/h)	Régime croisière (tr/mn) Cruising Rpm	Vitesse croisière (Nœuds) Cruising speed (Knots)	Conso (L/h) Consumption (L/h)
Cap Camarat 5.5 CC série 2	YAMAHA F100 LB	K19 ALU	1328	5700	31,75	36	4500	22,3	19,8
	YAMAHA F115 LA	K17 INOX	1282	5800	34,25	53,7	4500	23,7	31,3
Cap Camarat 5.5 WA série 2	YAMAHA F115 LA	K17 INOX	1282	5800	34,25	53,7	4000	20,6	25

\*\* Test fait avec une ancienne référence d'hélice / test done with a former propeller reference

ND = Non Disponible / No Data

**RPM - SPEED - CONSUMPTION / RÉGIMES - VITESSES - CONSOMMATION**

**CAP CAMARAT 5.5 WA**



**YAMAHA 115 cv (HP)**

Caractéristique / Specifications:

moteur Hors Bord / Out Board engines: F115 BETL / LB

Hélice 3 pales / Propeller 3 blades: K17 INOX

688-45930-02-00

Capacité carburant / fuel capacity

100 L

26 USGal

Déplacement total du bateau / Total displacement of boat tested: 1282 Kg

Regime en tours par minute au tableau de bord / RPM on instrument panel	Vitesse en nœuds moyenne au gps / Average speed on gps in knots	Consommation moteur en litres par heure / consommation engine in liter an hour	Rendement / Efficiency (L/NM = Liter per Nautical Mile)	Consommation totale en USGal / heure Total consumption in USGal/h	Rendement / Efficiency (USGal/NM)	Autonomie en miles nautiques (avec réserve 20%) / Range in Nautical Miles (with 20% fuel safety)	Remarques / Comments
600	2,4 Nds	1,8 l/h	,77 L/NM	48 USGal/h	,20 USGal/NM	104 NM	
1000	3,0 Nds	2,8 l/h	,95 L/NM	,74 USGal/h	,25 USGal/NM	84 NM	
1500	5,0 Nds	4,6 l/h	,93 L/NM	1,22 USGal/h	,25 USGal/NM	86 NM	
2000	6,0 Nds	7,0 l/h	1,18 L/NM	1,85 USGal/h	,31 USGal/NM	68 NM	
2500	6,6 Nds	12,0 l/h	1,83 L/NM	3,17 USGal/h	,48 USGal/NM	44 NM	
3000	6,5 Nds	17,4 l/h	2,70 L/NM	4,60 USGal/h	,71 USGal/NM	30 NM	
3500	15,6 Nds	20,7 l/h	1,33 L/NM	5,47 USGal/h	,35 USGal/NM	60 NM	
4000	20,6 Nds	25,0 l/h	1,21 L/NM	6,60 USGal/h	,32 USGal/NM	66 NM	
4500	23,7 Nds	31,3 l/h	1,32 L/NM	8,27 USGal/h	,35 USGal/NM	61 NM	
5000	27,7 Nds	38,5 l/h	1,39 L/NM	10,17 USGal/h	,37 USGal/NM	57 NM	Trim 2
5500	31,3 Nds	51,5 l/h	1,65 L/NM	13,60 USGal/h	,44 USGal/NM	49 NM	Trim 3
5800	34,3 Nds	53,7 l/h	1,57 L/NM	14,19 USGal/h	,41 USGal/NM	51 NM	Trim 3

Conditions optimales théoriques et purement indicatives des essais / Optimal theoretical conditions, purely indicative for trials :

Coque neuve, vent 5 nds, mer belle, pas d'antifouling / new hull, wind 5 knots, nice sea, no antifouling

25.07.2013



**EC REGULATION / CERTIFICATION CE**

MODELES MODELS	ATTESTATION N° / CERTIFICATE N°	LONGUEUR COQUE* / HULL LENGTH*	LARGEUR COQUE* / HULL BEAM*	CHARGE MAX / MAX LOAD	CATEGORI E / CATEGOR Y	PERSONNE S / PERSONS	PUISSANCE / MAXI POWER		MASSE MAXI MOTEUR / MAX ENGINE WEIGHT
							Kw	CV / HP	
<b>CAP CAMARAT</b>		Mètres / Meters	Mètres / Meters	Kg			Kw	CV / HP	Kg
Cap Camarat 5.5 CC Serie 2	A1 SPB 16079 MM	5,21	2,33	780	C	6	89	120	214
Cap Camarat 5.5 WA Serie 3	A1 SPB 16082 MM	5,21	2,33	760	C	6	89	120	214

Pour les homologations en cours, toutes les informations doivent être considérées comme provisoires.

Les catégories et nombre de personnes indiqués correspondent à la demande faite par le chantier, pas à une confirmation.

*When the EC regulation is in progress, please consider all information as provisional.*

*The categories and number of persons written are requested by the Jeanneau Yard, not confirmed.*

\* Indiqué sur la DEC (Déclaration Ecrite de Conformité)

\* *Written on the WSC (Written Statement of Compliance)*

ND: Non Disponible / No Data

**MOORING - ANCHORING KITS / KIT AMARRAGE - MOUILLAGE**

Bateaux / Boats	MOUILLAGE / ANCHORING							AMARRE / MOORING		PARE-BATTAGES / FENDERS	
	Code / Ref	Ancre / Anchor		Chaîne / Chain		Câblot / Line		Code / Ref	Désignation / Détail	Code / Ref	Désignation / Détail
Cap Camarat 5.5 Serie <sup>2</sup> CC / WA	162301	8 kg	Plate / Flat	6 mm	13 m	20 m	10 mm	043143	4 x D12 L8000	189031	4 x 645 x D.150

**FRANCE ONLY / DROITS ANNUELS (LEGISLATION FRANCAISE)**

Modèle		Longueur Coque	Puissance administrative du moteur (CV)	Droits longueur (€)	Droits moteurs (€)	Total droits (€)
Cap Camarat 5.5 CC	CC	5,21	-	NON - moins de 7 m	-	-
	WA		-		-	

**\*\*\*Ces prix sont donnés à titre indicatif et sous réserve des modifications liées à la législation en vigueur**

**au moment de l'enregistrement du bateau**

**Information on batteries for outboard models**

**Information sur les batteries des modèles hors-bord**

Reminder: since 2016 season, batteries are NO MORE delivered with outboard boats (engine batterie(s), fridge battery, bow thruster battery).





Dealers have to order batteries by themself and to add their prices in boat quotation.

Except for batteries, all other components (wiring, connectors, ...) are still delivered according to current rules, i.e in standard, in pre-riggings or in option. Hereunder you will find infos

Rappel: depuis la saison 2016, les batteries NE SONT PLUS LIVREES avec les bateaux hors-bord (batterie(s) moteur, batterie pour frigo, batterie de propulseur).

Les concessionnaires doivent commander eux-mêmes les batteries et inclure leur prix dans les devis clients.

En dehors des batteries, les autres composants (câblage, connecteurs, ...) continuent d'être livrés selon les inventaires actuels c'est-à-dire en standard, dans les pré-riggings ou en option

	Type 2	Type 3	Type 4	Type 6
ref	220524	183615	061735	216629
Description	95 AH DUAL AGM (starting)	140 AH DUAL AGM	50 AH dry-fit starting battery	100 AH AGM starting battery
Voltage (V)	12 V	12 V	12 V	12 V
Capacity / Capacité (Ah)	95   20 h	140   20 h	50   20 h	100   20 h
Cranking / Intensité au démarrage (A)	850 CEN	750	750	870
Endurance	360 cycles @ 50%	300 cycles @ 75%	500 cycles @ 75%	
Length / Longueur (mm)	353	513	260	330
Width / Largeur (mm)	175	189	173	173
Height / Hauteur (mm)	190	223	206	240
Terminal position / Position des cosses				
Example / Exemple	Exide Technologie	Exide Technologie	Exide Technologie	Exide Technologie
Indicative public price / Prix public indicatif (€ ex. VAT)	150 €	350 €	190 €	270 €



**Information on batteries for outboard models**

**Information sur les batteries des modèles hors-bord**

Reminder: since 2016 season, batteries are NO MORE delivered with outboard boats (engine batterie(s), fridge battery, bow thruster battery).

Dealers have to order batteries by themself and to add their prices in boat quotation.

Except for batteries, all other components (wiring, connectors, ...) are still delivered according to current rules, i.e in standard, in pre-riggings or in option. Hereunder you will find infos

Rappel: depuis la saison 2016, les batteries NE SONT PLUS LIVREES avec les bateaux hors-bord (batterie(s) moteur, batterie pour frigo, batterie de propulseur).

Les concessionnaires doivent commander eux-mêmes les batteries et inclure leur prix dans les devis clients.

En dehors des batteries, les autres composants (câblage, connecteurs, ...) continuent d'être livrés selon les inventaires actuels c'est-à-dire en standard, dans les pré-riggings ou en option

	5.5 CC 5.5 WA 6.5 CC serie 3 6.5 WA serie 3	7.5 WA Serie 3 7.5 CC Serie 3	9.0 CC 9.0 WA	10.5 WA Serie2 10.5 CC	12.5 WA
Engine 1 / Moteur 1	Type 2	Type 2	Type 3	Type 2	Type 6
Engine 3 / Moteur 3	-	-	-	-	Type 6
Engine 2 / Moteur 2	-	-	Type 3	Type 2	Type 6
Fridge / Réfrigérateur / Service	-	Type 2		Type 2	Type 6 Type 6 Type 6 (qty = 3 batteries)
Genset option / Option générateur	-	-	Type 4	Type 4	Type 4
Bow thruster option / Option propulseur	-	Type 4	Type 4	Type 4 Type 4 (qty = 2 batteries)	Type 4 Type 4 (qty = 2 batteries)
Seakeeper option / Option Seakeeper	-	-	-		Type 6



*This is not a contractual document.  
This document was updated in April 2023  
It may contain illustrations or text representing  
or referring to optional equipment.  
If changes appear on our 2023 models,  
with regard to equipment or options referred to in this document,  
only the 2022 Jeanneau pricing will apply.*

